

Safety Fixtures & Supplies



Section Contents

Acid Storage Cabinets	74
Flammable Storage Cabinets	75
Eyewash & Safety Shower	76
Goggle Sanitizing Cabinet	77
Fire Safety	78

Safety Equipment

Safety equipment, including Acid and Flammable Materials Storage Cabinets, Safety Showers, Eyewashes, Fire Extinguishers, and more, should be an integral part of your design. Review local codes to determine exact requirements for your area.



Call us at 800-727-4368

Non-Metal Acid Cabinets



Polyethylene Corrosives Cabinets

These high density, one-piece molded polyethylene acid cabinets provide maximum chemical resistance against harsh acids and corrosives. Countertop polyethylene cabinet stores up to two 4-liter bottles with a door that can be hinged from either side for best countertop space utilization. Polyethylene spill tray inside contains leaks and removes for easy cleaning. A separate polyethylene tray stores under cabinet and can be used as a handy work tray.



Undercounter polyethylene cabinet safely stores thirty one-liter bottles or a variety of containers. Each segregated compartment has an adjustable shelf and storage in both doors for small containers. Two removable sumps slide out for easy cleaning of incidental spills. Two vent holes (with removable caps) on backside accommodate pressurized vapor removal systems. Unit includes hardware to secure cabinet to wall.

Both models are clearly labeled for ACID contents and accept a padlock for added security.

Description	Capacity, gal.	Ext. Dimensions (W x D x H)	No. of Shelves	Shelf Load, lbs.	Catalog Number	Price
1 Door, Countertop	2	14¼" x 16¼" x 19½"	—	—	WLC94999-04	\$485.00
2 Door, Undercounter	8	36" x 23½" x 35"	2	100	WLC94999-05	\$998.00



VWR Flammable Liquids Safety Cabinet

Provide compliant storage and organization of flammable liquids. Cabinets are constructed of welded 18-gauge steel, while all sidewalls, doors, top, and bottom are double walled with 3.8cm (1½") of air insulation. Smooth lever handle automatically self-latches. Cabinets include two 5.1cm (2") vents with built-in flame arresters and grounding connector on an outside panel. A leak tight, 5.1cm (2") sump also safely contains dangerous spills. Unit includes leg levelers and warning label in English, Spanish, and French. Cabinets are finished inside and out with a chemical-resistant, powder paint finish in light neutral. Cabinets include 10 year warranty.

Available with manual, self-closing, or sliding doors. Self-closing and sliding door models meet the Uniform Fire Code and feature a fusible link that melts at 74°C (165°F) for automatic closure. All cabinets comply with OSHA 29 CFR 1910.106, NFPA Code 30, sec. 4.3.3, and are FM approved. The 113.6L (30gal.) and 170.3L (45gal.) Self closing styles are also UL listed and feature a fusible link that melts at 74°C (165°F) for automatic closure.

Capacity, L (gal.)	Exterior Dimensions, H x W x D, in.	Catalog No.	Price	Capacity, L (gal.)	Exterior Dimensions, H x W x D, in.	Catalog No.	Price
Cabinets with Two Self-Latching Manual Close Doors				Cabinets with Two Self-Closing Doors			
113.6 (30)	44 x 43 x 18"	97008-326	\$1,019.00	113.6 (30)	44 x 43 x 18"	97008-328	\$1,199.00
170.3 (45)	65 x 43 x 18"	97008-332	\$1,249.00	170.3 (45)	65 x 43 x 18"	97008-334	\$1,356.00
227.1 (60)	65 x 34 x 34"	97008-340	\$1,609.00	227.1 (60)	65 x 34 x 34"	97008-342	\$1,649.00
340.7 (90)	65 x 43 x 34"	97008-344	\$1,899.00	340.7 (90)	65 x 43 x 34"	97008-346	\$2,025.00
Cabinets with Bi-Fold, Self-Closing, Sliding Door							
113.6 (30)	44 x 43 x 18"	97008-330	\$1,149.00				
170.3 (45)	65 x 43 x 18"	97008-336	\$1,457.00				
227.1 (60)	65 x 34 x 34"	97008-338	\$1,799.00				
340.7 (90)	65 x 43 x 34"	97008-348	\$2,109.00				

Wood Acid & Flammable Storage Cabinets

Wood Acid Storage Cabinet

The Acid Storage cabinet uses no metal in its construction, so there is nothing to corrode as in most other acid cabinets.

Acid cabinet has a liquid-tight polypropylene tray top and cabinet floor to contain leaks or spills. Cabinet can hold up to 12–2.5 L bottles.

Cabinet color is blue with red "ACID" printed on doors. Doors lock with included padlock. Epoxy paint and 9-ply plywood used for chemical resistance throughout.



Description	Outer/Inner Dim. (L x D x H)	Cat. No.	Price
Fully lined w/polypropylene (not shown)	31 x 20 x 36½" 29 x 17¼ x 28½"	18500-066	\$1,299.00
Partially lined w/polypropylene	31 x 20 x 36½" 29 x 17¼ x 28½"	18500-070	\$999.00

Optional Nitric Acid Storage Compartment
(for 18500-070 and 18500-066)
18500-072 \$132.00

Also available

Benchtop Cabinet. Capacity five 2.5 L bottles.
Dimensions: 15¾" x 16¾" x 21½".

18500-074

\$539.00

18500-070
with optional nitric
acid compartment

Wood Flammable Storage Cabinets

Flammables cabinet is constructed of 1" plywood which is finished with a yellow epoxy paint. Cabinet will easily hold 4L bottles. Its shelf is adjustable and the door is secured with corrosion-resistant lock and full-length hinges. Meets NFPA30 and OSHA standards. Self-closing doors available upon request. Call for details.

Flammables Cabinets

Cabinet Type	Cap. (gal)	Dim. (W x H x D)	Shelves	Catalog Number	Price
Bench Top	4	16¾" x 21½" x 15¾"	0	18500-002	\$432.00
Floor 18		23⅞" x 36½" x 23⅞"	1	18500-006	\$720.00
Floor	45	43" x 44¾" x 18"	2	18500-004	\$1,169.00



Stack-a-Cab® Safety Storage Cabinets

Cabinets are constructed of 1" thick multi-ply plywood and finished with clear epoxy paint. Cabinets are designed for stacking or as stand-alone units for the laboratory bench and allow for the safe organization of compatible chemicals. Cabinets are easily identified by cabinet color and 10" hazard label. All cabinets are supplied with suitable locking mechanisms and are constructed to meet all applicable NFPA and OSHA standards. Self-closing doors available upon request. Call for details.

Stackable Cabinets (All 47"L x 18"D x 18"H)

Cabinet Type	Capacity	Cat. No.	Price
Acid (Blue)	22 x 2.5 L	18500-060	\$895.00
Flammables (Yellow)	16 x 2.5 L	18500-056	\$864.00
Combination (Gray)	Acid: 10 x 2.5 L Flammables: 8 x 2.5 L	18500-054	\$1,050.00
Floor Stand (Blue)		18500-048	\$120.00
Floor Stand (Yellow)		18500-046	\$129.00
Floor Stand (Gray)		18500-044	\$120.00



Call us at 800-727-4368

Safety Equipment

SEF Eyewash System

A combination eyewash/drench hose and service sink faucet, this system adds safety and versatility to your lab. The creative design allows the eyewash to be directly attached to the faucet's cold water integral stop cavity and permits both the faucet and eyewash to be operated independently, so there is never a concern about delivering scalding water to the eyes. Only one plumbing connection is required for this chrome plated brass finished system. Eyewash is activated with squeeze valve including an automatic stay open device. Dual sprays are delivered with flip top caps and an automatic flow control. Flow rate is 2.4 GPM at 30 psi. Pressure is 30 psi minimum flow pressure, 125 psi. maximum static pressure. Meets ANSI Z358.1-1998.

WLG9000 \$462.00



Safety Shower

Reach for the handle of this safety shower for immediate rinsing off of harmful contaminants. An impeller-action head allows more thorough rinsing action. The stay-open valve does not require operator control once activated. Features a 20.3 cm (8") diameter yellow shower head, 2.5 cm (1") NPTF chrome-plated brass ball valve, and stainless steel pull handle. Meets ANSI Z358.1-1998 standard.



Description	Catalog Number	Price
Shower Overhead Mount	VF-0220-SE	\$202.00
Shower Horizontal Mount	VF-0227-SE	\$218.00

Aerated Eye Wash

Quickly flush harmful contaminants from the eyes. Unique eye wash mounts into countertops up to 5 cm (2") thick, or can be mounted on a wall or pedestal. Features stainless steel receptor activated by stainless steel trigger bar; twin aerated outlets; stay-open ball valve; and adjustable volume regulator. Cutting and drilling template supplied with **VF-0565-SE** to simplify countertop installation. Meets ANSI Z358.1-1998 standard.



Description	Catalog Number	Price
Countertop Eye Wash	VF-0565-SE	\$456.00
Wall-Mounted Eye Wash	VF-0505-SE	\$478.00
Pedestal-Mounted Eye Wash	VF-0545-SE	\$644.00

Safety Shower and Eye/Face Wash

This combined safety device can be used to flush contaminants from eyes, face, or entire body. Space-saving stainless steel unit consists of a shower and eye wash with stainless steel basin. The shower has a 20.3cm (8") diameter head with impeller action and stay-open valve. The eye/face wash is actuated by a stainless steel push handle. Six aerated outlets in each spray head provide a 22.8 x 20.3cm (9" x 8") curtain of aerated water for more extensive washing action. Meets ANSI Z358.1-1998 standard.



Description	Catalog Number	Price
With Galvanized Steel Stanchion	WLS-1801-70	\$999.50
With Stainless Steel Stanchion	WLS-1801-71	\$2,335.00
Hand and Foot Operated Option	WLS-1801-72	\$88.95

Shower Tester

Canvas funnel, with a string for connection to shower head, empties into a bucket or floor drain.

VF-0950-SE \$145.00

Test your shower!

Industrial laboratories test their safety showers monthly. We recommend you test yours regularly.



Wall Mounted Eye Wash Station

Featuring two "Gentle Spray" Heads, this wall-mounted unit quickly and gently rinses contaminants away. A low-density polyethylene filter removes scale, deposits and debris from the water and keeps water line impurities out of user's eyes. Eye wash is activated by a push handle. Heavy-duty pipe and fittings resist corrosion. 1 1/2" stainless steel bowl and 1/2" chrome-plated brass stay-open valve. ANSI compliant identification sign included.



WLS-33820-05 \$315.00

Safety Equipment

Wall-Mounted Eye/Face Wash

Quickly flush harmful contaminants from face and eyes with this protective eye wash activated by stainless steel push handle. Choose stainless steel or plastic receptor. Six aerated outlets in the spray heads produce a 22.9 x 20.3 cm (9" x 8") curtain of aerated water for superior protection. Water outlets are shielded by polypropylene covers. Pedestal model also available. Meets ANSI Z358.1-1998 standard.



Description	Catalog Number	Price
Wall-Mounted, Stainless Steel	VF-0400-SE	\$572.00
Wall-Mounted, Yellow Plastic	VF-0401-SE	\$495.00
Pedestal-Mounted, Stainless Steel	VF-0420-SE	\$729.00

Deck-Mounted Eye Wash

Can be deck-mounted on countertops up to 6.3 cm (2 1/2") thick, or used as a hand-held drench hose. Features a stay-open valve and twin aerated sprays with flip-top dust caps and automatic flow control. Supplied with an 1.8m (6') reinforced hose. Meets ANSI Z358.1-1998 standard.

VF-0927-SE \$343.00



Eyesaver® Faucet

The eyewash and faucet operate independently of each other in this unique unit combining a goose-neck faucet with an eye-wash. The faucet features 1/4 turn Speakman Ceramic Perfect® valves. The eye-wash features twin aerated sprays and flip top dust covers. Eyewash is activated by pull handle. Chrome plated brass finish system provides 30 psi. minimum flow pressure, 125 psi. maximum static pressure. Meets ASME A112.18.1, ANSI Z358.1, and CSA B125-98.



WLG1800 \$457.60



Deck-Mounted Eye Wash

Countertop style eye wash flushes contaminants from the eyes; water can escape down sink drain. Activated by stainless steel

push handle, twin spray outlets provide 2.5 gpm of aerated water. Each outlet is individually adjustable. Unit swivels 90° for access to sink. Can be mounted in countertops up to 3.1 cm (1 1/4") thick. Meets ANSI Z358.1-1998 standard.

Description	Catalog Number	Price
Eye Wash	VF-0572-SE	\$347.00
Eye Wash, Left Hand Operation	VF-0572-LH	\$365.00



Safety Goggle Sanitizing Cabinets

Rugged heavy-gauge steel sterilizing cabinets can deliver clean sterile goggles or spectacles in minutes. A 15-minute timer controls the UV lamps ensuring sufficient exposure to kill germs without shortening goggle life. Safety features include double-latching doors, a key-operated lock and ON indicator light. Units will not operate unless cabinet doors are closed. Welded seams and tight-fitting piano hinges safely contain UV light. WLS40419-40 also has a shiny aluminum lining that reflects UV light toward all goggle surfaces. Thirty goggle cabinet dimensions: 28" H x 24 1/2" W x 9 1/4" D; shipping weight: 32 lbs. Forty goggle cabinet dimensions: 32" H x 24 1/2" W x 9 1/4" D; shipping weight: 35 lbs. Both with 3-wire cord and plug for 115 VAC, 50/60 Hz.

Description	Cat. No.	Price
30 Goggle Cabinet	WLS-40419-20	\$589.95
40 Goggle Cabinet	WLS-40419-40	\$715.00
Replacement Bulb	WLS-40419-20R	\$52.50

Call us at 800-727-4368

Safety Equipment

A. Wool Fire Blanket with Wall Case, Square

Flame resistant 100% wool blanket for smothering fires can also be used as a First Aid blanket. Blanket size: 62" x 84". Container dimensions: 16" H x 13" W x 5" D. Includes bracket for wall mounting. Maroon color blanket is dry clean only.

WLS-33780-25 \$141.00



B. Pyroglass™ Fire Blanket with Wall Case

For smothering fires, this 60" x 72" Pyroglass blanket has a clean soft surface which insulates, repels water and is impervious to most acids, alkalis and solvents. It is stored in a metal, wall-mounting fire red container which opens easily at the bottom for quick removal.

WLS-33780-15 \$129.00



C. Wool Fire Blanket with Wall Case

A flame resistant 90% woolen blanket for smothering fires is also useful as a first aid blanket. Dimensions: 72" x 90". With 9" diameter x 20" L container and bracket for wall mounting.

WLS-33780 \$141.00



D. Dry Chemical Type Fire Extinguishers

For Class A, B, and C fires, this extinguisher is very effective against Class A overhead fires because of the clinging action of the chemicals. Opening and closing of the stream is accomplished by the single squeeze-grip nozzle control. With steel shell, visual pressure gauge and wall bracket. UL rated 1A-10B:C; meets UL standard 299, DOT and OSHA requirements.

Cap.	Height x Dia.	Ship Wt.	Catalog No.	Price
2.5 lb	14" x 4"	5½ lb	WLS-33782	\$44.50
10 lb	19.52" H x 5.21" Dia.	16¼ lb	WLS-1752-33	\$115.00



E. Halotron Type Fire Extinguisher

For Class A, B, and C fires, its inert cooling and smothering agent leaves no residue, and is particularly effective in protecting environments with sensitive electronic computer equipment. Halotron 1 filling is an ozone-friendly replacement for the well-known Halon 1211 material. EPA approved. With steel shell, pressure gauge and wall bracket. Capacity: 5 lb. Size: 15¼" H x 4¼" diameter. Ship weight: 10 lb.

WLS-33787 \$298.00

F. Max Power Dry Chemical Fire Extinguisher

For Class B, and C fires, this extinguisher uses an agent based on potassium bicarbonate, which is 2.5 times more effective than regular dry chemical agents, especially on Class B fires. With aluminum shell, pressure gauge and strap bracket. Capacity: 5 lb. Size: 19.8" H x 4.5" diameter. Ship weight: 9.4 lb.

WLS-33788 \$72.50

Class A Fires are fires in easily combustible materials, such as paper, wood, fabric and rubbish. They require cooling and smothering to extinguish them.

Class B Fires are fires in flammable liquids, such as gasoline, oil, paint, varnish, and alcohol. They require blanketing or a smothering effect to extinguish them.

Class C Fires are fires in live electrical equipment, such as motors, switchboards, generators and circuits. They require the use of an extinguisher containing a nonconducting extinguisher agent.